

## NETWORKING SOLUTIONS

QuickRack ValuePack Enclosures .....	pgs NET 1-2
QuickRack PowerPack Enclosures .....	pgs NET 3-4
BasicRacks .....	pgs NET 5-6
QuickBox Enclosures.....	pgs NET 7-8
Technical Drawings .....	pgs NET 9-11



NETWORKING SOLUTIONS



# QuickRack ValuePack Enclosures



## Value-Packed Network Cabinets

Rittal offers a variety of QuickRack cabinets in the most popular configurations for the networking market. Heights range from 24 to 47U and include a choice of widths and depths. These standard cabinets come packed full of features that make the cabinet an easy to work with solution for many network applications. For quick availability, easy transportation and innovative design, look no further than the QuickRack ValuePack.

### Configuration

- Front safety glass viewing door with lock insert
- Vented rear steel door with lock insert
- Full height 19" DK rails, front and rear
- Two sets of horizontal rail supports
- Leveling feet
- Available with or without sidewalls
- 50 captive nuts
- 100 mounting screws

### Technical Specifications

#### Material:

- *Enclosure/door:* carbon steel

#### Finish/color:

- *Flat parts:* E-coat primed, powder painted, RAL 7035 light grey
- *Vertical posts:* E-coat primed, powder painted, RAL 7030 stone grey

### Protection Ratings

**NEMA Type**  1  4  4X  12  13

### Certifications/Approvals

**Listings**  UL  CUL  CSA  TÜV

### Technical Drawings

**Page** .....NET 9

ValuePack Enclosure								
Part No. QR with sidewalls	Part No. QR without sidewalls	U	Dimensions					
			(Approx.) inches			mm		
			H	W	D	H	W	D
9967140	7503770	24	48	24	24	1200	600	600
9967139	7503773	24	48	32	32	1200	800	800
9967138	7503778	42	78	24	24	2000	600	600
9967137	7503779	42	78	24	32	2000	600	800
9967135	7503781	42	78	32	32	2000	800	800
9967134	7503782	47	86	24	24	2200	600	600
9967133	7503783	47	86	24	32	2200	600	800
9967131	7503785	47	86	32	32	2200	800	800

\* Note: multiple cabinets can be bayed together using Part No. 7526565. Remember to order one cabinet with sidewalls per row of cabinets and the rest without.

Accessories					
Part No. QR with sidewalls	Part No. QR without sidewalls	19" rackmount shelf*	Cable base	Cable collecting rails	
				Across width	Across depth
				9967140	7503770
9967139	7503773	7145035	7526320	7526935	7526945
9967138	7503778	7144035	7526300	7526930	7526940
9967137	7503779	7145035	7526310	7526930	7526945
9967135	7503781	7145035	7526320	7526935	7526945
9967134	7503782	7144035	7526300	7526930	7526940
9967133	7503783	7145035	7526310	7526930	7526945
9967131	7503785	7145035	7526320	7526935	7526945

\* Fixed shelves that mount to horizontal rail supports also available. Cabinets come standard with DK style rails.

# QuickRack PowerPack Enclosures



## Get The Rittal Power

For a more advanced network cabinet offering, get the QuickRack PowerPack. The PowerPack offering combines the value-packed QuickRack cabinet with two exciting features: an eight outlet power strip and a fan tray for air movement within the cabinet. Add to that the advantages of the cabinet itself—cost-efficiency, accessibility and easy transition of applications—and you'll get the power from QuickRack.

### Configuration

- Front safety glass viewing door with lock insert
- Vented rear steel door with lock insert
- Full height 19" DK rails, front and rear
- Two sets of horizontal rail supports
- Roof with fan tray (two fans on 24" W, three fans on 32" W), 9' cord/plug
- 8 outlet, 15 amp power outlet strip
- Leveling feet
- Available with or without sidewalls
- 50 captive nuts
- 100 mounting screws

### Technical Specifications

#### Material:

- *Enclosure/door:* carbon steel

#### Finish/color:

- *Flat parts:* E-coat primed, powder painted, RAL 7035 light grey
- *Vertical posts:* E-coat primed, powder painted, RAL 7030 stone grey

### Protection Ratings

**NEMA Type**  1  4  4X  12  13

### Certifications/Approvals

**Listings**  UL  CUL  CSA  TÜV

### Technical Drawings

Page .....NET 10


PowerPack Enclosure								
Part No. QR with sidewalls	Part No. QR without sidewalls	U	Dimensions					
			(Approx.) inches			mm		
			H	W	D	H	W	D
9966977	9966978	24	48	24	24	1200	600	600
9966979	9966980	24	48	32	32	1200	800	800
9966971	9966972	42	78	24	24	2000	600	600
9966973	9966974	42	78	24	32	2000	600	800
9966975	9966976	42	78	32	32	2000	800	800
9966967	9966968	47	86	24	32	2200	600	800
9966969	9966970	47	86	32	32	2200	800	800

Note: multiple cabinets can be bayed together using Part No. 7526965. Remember to order one cabinet with sidewalls per row of cabinets and the rest without.

Accessories					
Part No. QR with sidewalls	Part No. QR without sidewalls	19" rackmount shelf*	Cable base	Cable collecting rails	
				Across width	Across width
				9966977	9966978
9966979	9966980	7145035	7526310	7526930	7526945
9966971	9966972	7144035	7526300	7526930	7526940
9966973	9966974	7145035	7526310	7526930	7526945
9966975	9966976	7145035	7526320	7526935	7526945
9966967	9966968	7145035	7526310	7526930	7526945
9966969	9966970	7145035	7526320	7526935	7526945

\* Fixed shelves that mount to horizontal rail supports also available. Cabinets come standard with DK style rails.

# BasicRacks



## 19" Open Rack Solutions

Rittal's 19" BasicRack is the perfect solution for standard equipment applications and basic 19" component installations. This rack is bolted to the floor for greater stability, either standing alone or interconnected for larger projects. Because of the simple design of this Rittal rack, users will benefit with easy access to equipment as well as quick assembly and installation. If you are looking for a complete, low-cost but high-quality basic equipment management system, Rittal's BasicRack is the ideal solution.

### Configuration

- Knock down in one package
- All hardware for installation
- 2 aluminum extrusions
- 5/8" - 5/8" x 1/2" hole pattern
- 12-24 tapped screw holes
- Available in clear chemical coat and black paint

### Technical Specifications

**Material:**

- Aluminum

**Finish/color:**

- Clear chemical coated grey
- Black paint

### Protection Ratings

**NEMA Type**  1  4  4X  12  13

### Certifications/Approvals

**Listings**  UL  CUL  CSA  TÜV

### Technical Drawings

Page .....NET 11



Rack								
Part No.	U	Exact dimensions						Color
		inches			mm			
		H	W	D	H	W	D	
9967637	24	48	20	15	1200	500	375	Black
9967638	24	48	20	15	1200	500	375	Clear
9967635	45	84	20	15	2122	500	375	Black
9967636	45	84	20	15	2122	500	375	Clear

Accessories								
Part No.	Rack storage drawer	Double divider shelf	Adjustable monitor shelf	Divider shelf	3' vertical cable management	7' vertical cable management	Sliding extension shelf	19" keyboard w/mouse pad
9967637	9967641	9967643	9967645	9967639	9967653	-	9967647	9967649
9967638	9967642	9967644	9967646	9967640	9967654	-	9967648	9967650
9967635	9967641	9967643	9967645	9967639	9967653	9967651	9967647	9967649
9967636	9967642	9967644	9967646	9967640	9967654	9967652	9967648	9967650

# QuickBox Enclosures



## Versatile Wallmount Solutions

Rittal's new QuickBox wallmount enclosures combine variety with flexibility and cost efficiency. With its depth-adjustable 19" mounting surface, the QuickBox is the ideal solution for packaging network equipment or floor distributors. One enclosure, 12 models - that means 12 standard products instead of complicated custom fabrication. Choose from a large selection of sizes, with or without viewing door, that offer cost-efficient, customer-oriented solutions for the most diverse applications.

The QuickBox is available off-the-shelf, completely assembled. In every respect the QuickBox is the optimum combination of the proven quality and flexibility of Rittal enclosures.

### Configuration

- Wallmount section with 19" rails and brush inserts
- Housing cover with base
- Cover with vent slots and brush inserts
- Sheet steel or viewing door options
- Security locks on front door and two sides
- Cable collecting combination rail
- Front 19" rails, infinitely depth adjustable

### Technical Specifications

#### Material:

- *Wallmount section with mounting angles:* 14 ga/2.0 mm sheet steel
- *Housing cover:* 19 ga/1.0 mm sheet steel
- *Door:* sheet steel or viewing door with sheet steel frame and security glass insert

#### Finish/color:

- Powder painted, RAL 7035 light grey

### Protection Ratings

**NEMA Type**  1  4  4X  12  13

### Certifications/Approvals

**Listings**  UL  CUL  CSA  TÜV

### Technical Drawings


**Page** .....NET 11

Enclosure								
Part No.	U	SU	Exact dimensions					
			inches			mm		
			H	W	D	H	W	D
<b>24" Wide x 24" Deep With Viewing Door</b>								
7502016	6	10	14.25	23.62	23.62	362	600	600
7502026	9	15	19.49	23.62	23.62	495	600	600
7502036	12	20	24.75	23.62	23.62	628	600	600
7502046	15	26	30.00	23.62	23.62	762	600	600
7502056	18	31	35.24	23.62	23.62	895	600	600
7502066	21	36	40.47	23.62	23.62	1028	600	600
<b>24" Wide x 24" Deep With Solid Door</b>								
7502116	6	10	14.25	23.62	23.62	362	600	600
7502126	9	15	19.49	23.62	23.62	495	600	600
7502136	12	20	24.75	23.62	23.62	628	600	600
7502146	15	26	30.00	23.62	23.62	762	600	600
7502156	18	31	35.24	23.62	23.62	895	600	600
7502166	21	36	40.47	23.62	23.62	1028	600	600

Accessories								
Part No.	19" rails	Cable collecting rails (depth)	Cable collecting rails (width)	2U shelf	Fixed shelf*	Telescopic slides*	Shelf 20" deep*	Telescopic slides 20" deep
<b>24" Wide x 24" Deep With Viewing Door</b>								
7502016	7502201	7502302	7502304	7119400	7144035	7061000	7145035	7081000
7502026	7502202	7502302	7502304	7119400	7144035	7061000	7145035	7081000
7502036	7502203	7502302	7502304	7119400	7144035	7061000	7145035	7081000
7502046	7502204	7502302	7502304	7119400	7144035	7061000	7145035	7081000
7502056	7502205	7502302	7502304	7119400	7144035	7061000	7145035	7081000
7502066	7502206	7502302	7502304	7119400	7144035	7061000	7145035	7081000
<b>24" Wide x 24" Deep With Solid Door</b>								
7502116	7502201	7502302	7502304	7119400	7144035	7061000	7145035	7081000
7502126	7502202	7502302	7502304	7119400	7144035	7061000	7145035	7081000
7502136	7502203	7502302	7502304	7119400	7144035	7061000	7145035	7081000
7502146	7502204	7502302	7502304	7119400	7144035	7061000	7145035	7081000
7502156	7502205	7502302	7502304	7119400	7144035	7061000	7145035	7081000
7502166	7502206	7502302	7502304	7119400	7144035	7061000	7145035	7081000

\* Need second set of 19" rails for rear cabinet.


**Technical Specifications**  
QuickRack ValuePack Enclosures



Enclosure							
Part No. QR with sidewalls	Part No. QR without sidewalls	Cabinet dimensions			Inside cabinet dimension C mm	Width of glass door X mm	Height of glass door Y mm
		Height mm H	Width mm B	Depth mm T			
9967140	7503770	1200	600	600	1100	425	1000
9967139	7503773	1200	800	800	1100	625	1000
9967138	7503778	2000	600	600	1900	425	1800
9967137	7503779	2000	600	800	1900	425	1800
9967135	7503781	2000	800	800	1900	625	1800
9967134	7503782	2200	600	600	2100	425	2000
9967133	7503783	2200	600	800	2100	425	2000
9967131	7503785	2200	800	800	2100	625	2000

Roof Dimensions						
Width x depth	Outside width inches B	Width without sidewalls inches B1	Width inside frame uprights inches B2	Outside depth inches T	Inside frame posts inches T1	Inside frame roll form inches T2
23.62" x 23.62"	23.62	23.46	21.50	18.90	17.22	17.72
23.62" x 31.50"	23.62	23.46	21.50	31.50	26.80	25.60
31.50" x 23.62"	31.50	31.30	29.40	23.62	18.90	17.72
31.50" x 31.50"	31.50	31.30	29.40	31.50	26.80	25.60

**Technical Specifications**  
QuickRack PowerPack Enclosures




Enclosure							
Part No. QR with sidewalls	Part No. QR without sidewalls	Cabinet dimensions			Inside cabinet dimension C mm	Width of glass door X mm	Height of glass door Y mm
		Height mm H	Width mm B	Depth mm T			
9966977	9966978	1200	600	600	1100	425	1000
9966979	9966980	1200	800	800	1100	625	1000
9966971	9966972	2000	600	600	1900	425	1800
9966973	9966974	2000	600	800	1900	425	1800
9966975	9966976	2000	800	800	1900	625	1800
9966967	9966968	2200	600	800	2100	425	2000
9966969	9966970	2200	800	800	2100	625	2000

Roof Dimensions						
Width x depth	Outside width inches B	Width without sidewalls inches B1	Width inside frame uprights inches B2	Outside depth inches T	Inside frame posts inches T1	Inside frame roll form inches T2
23.62" x 23.62"	23.62	23.46	21.50	18.90	17.22	17.72
23.62" x 31.50"	23.62	23.46	21.50	31.50	26.80	25.60
31.50" x 23.62"	31.50	31.30	29.40	23.62	18.90	17.72
31.50" x 31.50"	31.50	31.30	29.40	31.50	26.80	25.60


## Technical Specifications

### BasicRacks



Rack					
Part No.	Dimensions (inches)			a	b
	H	W	D		
9967637	48	20	15	17.75	18.31
9967638	48	20	15	17.75	18.31
9967635	84	20	15	17.75	18.31
9967636	84	20	15	17.75	18.31

### QuickBox Enclosures



Enclosure										
Part No. QB with viewing door	Part No. QB with solid door	U	SU	Height	Width	Depth	h1	h2	h3	h4
7502016	7502116	6	10	14.25"/362 mm	23.62"/600 mm	23.62"/600 mm	9.53"/242 mm	9.21"/234 mm	10.51"/267 mm	10.75"/273 mm
7502026	7502126	9	15	19.49"/495 mm	23.62"/600 mm	23.62"/600 mm	14.76"/375 mm	14.45"/367 mm	15.75"/400 mm	15.98"/406 mm
7502036	7502136	12	20	24.75"/628 mm	23.62"/600 mm	23.62"/600 mm	20.00"/508 mm	19.72"/501 mm	21.02"/534 mm	21.26"/540 mm
7502046	7502146	15	26	30.00"/762 mm	23.62"/600 mm	23.62"/600 mm	25.28"/642 mm	24.96"/634 mm	26.26"/667 mm	26.50"/673 mm
7502056	7502156	18	31	35.24"/895 mm	23.62"/600 mm	23.62"/600 mm	30.51"/775 mm	30.20"/767 mm	31.50"/800 mm	31.73"/806 mm
7502066	7502166	21	36	40.47"/1028 mm	23.62"/600 mm	23.62"/600 mm	35.75"/908 mm	35.47"/901 mm	36.77"/934 mm	37.00"/940 mm