

OVERVIEW

MOTORS & GEARMOTORS



BRUSH
BRUSHLESS
STEPPER
SYNCHRONOUS

motors.crouzet.com

ABOUT CROUZET

The Motion product line provides innovative engineering expertise, high quality service and a complete offer of standard direct drives, geared motors and motion control solutions for applications where performance is key. Our ability to customize solutions as per virtually any customers' request makes us the right partner to tackle the most demanding projects.

Crouzet is a brand of InnoVista Sensors™.

With a long-term commitment to technological excellence, the engineering teams have mastered the following core technologies and know-how:

- › Electromagnetism
- › Thermal dynamics
- › Electromechanical systems
- › Electronic drives

Covering the power range from 1 to 1000 W peak (1/100 to 1HP+) and available with spur, worm or planetary gearboxes, plus adapted controllers, our offer is specifically designed for access control systems, pumps and valves, railway applications, electrical equipment, medical equipment and the industry.



InnoVista Sensors™ is a worldwide industrial specialist of sensors, controllers and actuators for automated systems.

Through its brands, Crouzet and Systron Donner Inertial, InnoVista Sensors™ offers a wide range of reliable, efficient and customizable components dedicated to the Aerospace & Defense, Transportation and Industrial markets and segments.

Thanks to the recognized expertise of its teams and a strong innovation policy, InnoVista Sensors™ brings performance enhancing solutions to its customers worldwide.

InnoVista Sensors™: your trusted partner of choice to face industrial challenges of today and tomorrow.

www.innovistasensors.com

Designs & Manufactures



Sensors



Controls



Actuators

For



Aerospace
& Defense



Transportation



Industry

ADAPTATION WHEEL

To meet market expectations and provide customers with the right solutions within the shortest timeframes, Crouzet has structured all company processes around the different types of product: standard products, adapted products or products specially developed for a customer. Introducing the adaptation wheel...

SPECIAL PRODUCTS

When the adaptation is no longer suitable, we focus our design, manufacturing and qualification expertise on developing a new product designed to meet your requirements.

4

STANDARD PRODUCTS

We offer a full range of motors and geared motors, including AC synchronous, brush and brushless DC and stepper motors. Our products are available immediately so you can quickly implement your projects.

1

ADAPTED PRODUCTS

All projects are different, so we adapt the performance and functionality of each product to your requirements, ensuring the success of your most complex applications.


3

PRODUCTS WITH ADDED VALUE

All our standard products can be complemented by factory-installed extras, accessories or programs including connectors, special contacts, software etc., to assist integration into your equipment, simplify your logistics and maximize the reliability of your installations.


2

ACTUAL EXAMPLES



Releasable linear actuator for gas boilers equipped with a stepper motor.

- › Gas flow adjustment
- › Automatic closing in the event of a power failure
- › Gas-tightness measured on the production line



Gear pump equipped with a brushless motor.

- › Rotor with leak tight seal
- › Application-specific electronics
- › Shortened motor



Adjustment of steering column equipped with a brush motor.

- › Silent-running gearbox
- › Worm gear linear motion
- › Resistive encoder
- › EMC filter
- › Motor characteristics as per customer specifications

MOTORS, GEARBOXES AND CONTROL ELECTRONICS


		MOTORS									
		Industrial Brush			DCmind Brush		DCmind Brushless		Stepper	Synchronous	
Characteristics	Series	82840 82860	82800 10 50	82830 82890	89800 10 50	89830 89890	80140 180 280	80350 60 70	82910 20 30 40	82510 20 30 40	82340 82330
	Nominal power (W)	0,9 / 3	9 → 33	30 → 95	15 → 35	55 / 104	66 → 170	260 → 620	0,5 → 5	0,3 → 3	0,2 / 0,4
	Voltage	12 / 24 V ₋₋₋	12 → 48 V ₋₋₋	12 → 48 V ₋₋₋	12 → 48 V ₋₋₋	12 → 120 V ₋₋₋	9 → 72 V ₋₋₋	12 → 72 V ₋₋₋	3 → 64 V ₋₋₋	24 → 240 V _~ 50 → 60 Hz	24 → 240 V _~ 50 → 60 Hz
	Front side (mm)	Ø 32	Ø 42	Ø 63	Ø 42	Ø 63	57x57	75x75	Ø 35 / 51 Ø 57 / 65	Ø 35 / 51 Ø 57 / 65	Ø 47
	Nominal speed (rpm)	3700	3000	3000	3000	3000	3000	3000	0 - 1500	250 - 600	600 / 720
	Nominal torque (mNm)	2,2 / 7,7	41 → 100	170 / 270	50 → 110	180 / 290	125 → 550	830 → 2100	15 → 300	10 → 110	2,5 → 8
	Noise level (dBA)	55	55	55	35	35	45	50	35	30	45
	Service life (hrs)	2000	3000	5000	4000	5000	20000	20000	20000	20000	10 M on / off
	Certification	C _{UL} US CE RoHS			C _{UL} US CE RoHS		CE RoHS	C _{UL} US CE RoHS			
	Gearboxes										
Connection											
Standard											
Options											

EMC filter Interchangeable brushes Ball bearing Worm Planetary Parallel shaft Silent Connector Cable Lead Terminal

ACCESSORIES & OPTIONS

All our motor ranges can be accompanied by factory-mounted encoders and mechanical brakes:


- › Brakes from 0.25 Nm to 1.5 Nm
- › Encoders from 1 to 4000 points/rev
- › Special connectors
- › Special output shaft
- › IP65 or IP67



ADAPTED PRODUCTS

To meet your expectations, Crouzet offers you custom products matching your requirements, in the following areas:

- › Control electronics
- › Motor characteristics
- › Gearboxes
- › IP69K
- › EtherCAT



CONTROL ELECTRONICS					
Integrated				External	
					
TNi21	SMi21	SMi22	Motomate	BDE 30	BDE 40

Characteristics					
Speed-torque					
Position (c/t)		4096	4096	12	
Programming					
Communication bus		CANopen Optional	CANopen Standard		
Voltage	9 → 75 V _{DC}	9 → 75 V _{DC}	9 → 75 V _{DC}	18 → 36 V _{DC}	18 → 36 V _{DC} 10 → 36 V _{DC}
Maximum current (A)	17	17	75	6	10 14
Adaptations	Programs: Custom firmware as per customer specifications				

- Choice of programs To be programmed With regenerative energy absorber

GEARBOXES		
Parallel shafts	Planetary	Worm
10 models	7 models	2 models

Characteristics		
Torque (Nm)	0,5 → 6	4 → 120 2 → 20
Power (W)	1 → 50	10 → 600 10 → 300
Service life (Mt*)	1 → 10	50 50
Ratios	4 → 2500	4 → 308 5 → 100
Options	Shafts: stainless steel, pulleys, pinions, special bearings etc.	

* Million revolutions

AMERICAS
CANADA

Tel.: +1 (855) 929-5465
americas.custserv@crouzet.com

MEXICO

Tel.: +1 (855) 929-5465
americas.custserv@crouzet.com

USA

+1 (855) 929-5465
americas.custserv@crouzet.com

COUNTRIES NOT LISTED

+1 (855) 929-5465
americas.custserv@crouzet.com

EUROPE / MIDDLE EAST / AFRICA
BELGIUM

Tel.: +32 (0) 2 620 06 05
Fax: +32 (0) 2 461 00 23
klantenservice@crouzet.com

FRANCE

Tel.: +33 (0) 475 802 101
Fax: +33 (0) 475 828 900
relationclient@crouzet.com

GERMANY / AUSTRIA

Tel.: +49 (0) 2103/9385930
Fax: +49 (0) 2103/980-222
kundenservice@crouzet.com

ITALY

Tel.: +39 (02) 38 594 099
Fax: +39 (02) 82 952 104
assistenzaclienti@crouzet.com

SPAIN / PORTUGAL

Tel.: +34 (91) 215 80 95
Fax: +34 (93) 2 20 02 05
atencionalcliente@crouzet.com

SWITZERLAND

Tel.: +41 (0) 225 67 57 90
Fax: +41 (0) 565 88 02 75
kundenservice@crouzet.com

THE NETHERLANDS

Tel.: +31 (0) 20-654 52 20
klantenservice@crouzet.com

UNITED KINGDOM

Tel.: +44 (0) 2076 600 025
customer.relation@crouzet.com

COUNTRIES NOT LISTED

Tel.: +33 (0) 475 802 102
Fax: +33 (0) 475 828 900
customer.relation@crouzet.com

ASIA / PACIFIC
CHINA

Tel.: +86 (21) 8025 7166
Fax: +86 (21) 6107 1771
china@crouzet.com

INDIA

Tel.: +91 (80) 4113 2204/05
Fax: +91 (80) 4113 2206
india@crouzet.com

SOUTH KOREA

Tel.: +82 (2) 2679 8312
Fax: +82 (2) 2679 9888
korea@crouzet.com

EAST ASIA PACIFIC

Tel.: +86 (21) 8025 7177
Fax: +86 (21) 6107 1771
eap@crouzet.com

Warning:

The product information contained in this catalogue is given purely as information and does not constitute a representation, warranty or any form of contractual commitment. Crouzet Automatismes SAS and its subsidiaries reserve the right to modify their products without notice. It is imperative that we should be consulted over any particular use or application of our products and it is the responsibility of the buyer to establish, particularly through all the appropriate tests, that the product is suitable for the use or application. Under no circumstances will our warranty apply, nor shall we be held responsible for any application (such as any modification, addition, deletion, use in conjunction with other electrical or electronic components, circuits or assemblies, or any other unsuitable material or substance) which has not been expressly agreed by us prior to the sale of our products.