Section Overview

Miscellaneous Accessories include custom-built solutions designed specifically to meet code requirements, fuse reducers, box cover units and an assortment of useful fuse and holder accessories.







MISCELLANEOUS PRODUCTS ==

Table of Contents

Fuse Reducers	.213
Box Cover Units	.214
Fuse Replacement & Custom Kits	.215
Electronic Fuse Display & Spare Fuse Cabinet	.216

FUSE REDUCERS





Ordering Information

250 Volt

CATALOG/ORDERING NUMBER		FUSE CLIP	FUSE
CLASS H/K5	CLASS R	TOSE CLIF	CASE SIZE
LRU 263	LRU 263 R	60 A	30 A
LRU 213	LRU 213 R	100 A	30 A
LRU 216	LRU 216 R	100 A	60 A
LRU 226	LRU 226 R	200 A	60 A
LRU 2621	LRU 2621 R	200 A	100 A
LRU 2641	LRU 2641 R	400 A	100 A
LRU 2642	LRU 2642 R	400 A	200 A
LRU 2661	LRU 2661 R	600 A	100 A
LRU 2662	LRU 2662 R	600 A	200 A
LRU 2664	LRU 2664 R*	600 A	400 A

^{*}Only one reducer required.

600 Volt

CATALOG / ORDERING NUMBER			FUSE CLIP	FUSE
CLASS H/K5	CLASS R	CLASS J	FUSE CLIP	CASE SIZE
LRU 663	LRU 663 R	LRUJ63	60 A	30 A
LRU 216	LRU 216 R	LRUJ13	100 A	30 A
LRU 616	LRU 616 R	LRUJ16¶	100 A	60 A
LRU 626	LRU 626 R	LRUJ26	200 A	60 A
LRU 2621	LRU 2621 R	LRUJ21	200 A	100 A
LRU 2641	LRU 2641 R	LRUJ41	400 A	100 A
LRU 2642	LRU 2642 R	LRUJ42	400 A	200 A
LRU 2661	LRU 2661 R	_	600 A	100 A
LRU 2662	LRU 2662 R	_	600 A	200 A
LRU 2664	LRU 2664 R†	LRUJ64	600 A	400 A

[†]Only one reducer required.

Description

Littelfuse® fuse reducers allow smaller size fuses to be installed into existing fuse clips to prevent overfusing.

Features/Benefits

- Simple installation
- Reduces inventory requirements
- Silver brazed joints for maximum strength
- UL Listed (File: E136855)
- CSA Certified (File: LR92899)

Web Resources

Download technical information: littelfuse.com/lruh littelfuse.com/lrur

littelfuse.com/lruj

Dimensions

Refer to the fuse section of this catalog for fuse dimensions.

Recommended Fuses

Class H/K5 Fuse Reducers

NLN / NLS	.20

Class R Fuse Reducers

Class J Fuse Reducers	
KLNR / KLSR	15
LLSRK_ID	
LLNRK / LLSRK	13
IDSR	16
FLNR_ID / FLSR_ID	17
FLNR / FLSR	17

JTD_ID / JTD	2
JLS	2

 $[\]P$ Fuse and reducer combination is slightly larger in diameter than 100 A Class J fuses. For specific applications, contact factory.

Class J reducers cannot be used in bolt-on applications.



BOX COVER UNITS





Description

Provide economical method of protecting small motors against overcurrent damage.

Applications

- Edison-Base plug fuses (TOO, TLO)
- Type S plug fuses (SOO, SLO) with adapters (SAO)

Specifications

Voltage Rating 125 V **Max Ampere Rating** 15 A

Approvals UL Listed parts (Except LSSY-RL)

Web Resources

Sample requests, downloadable CAD drawings and other technical information: **www.littelfuse.com/boxcover**




FIGURE	LITTELFUSE		BOX COVER FEATURES				TO BE
NUMBER	PART NUMBER	EDISON BASE FUSE HOLDER	GROUNDING RECEPTACLE	SINGLE POLE SWITCH	TWO POLE SWITCH	PILOT LIGHT	MOUNTED ON
	LSOU	1	_	_	_	_	2-1/4" Handy Box
1	LSOW	1	_	_	_	_	2-3/4" Switch Box
•	LSOX	1	_	_	_	_	4" Octagon Box
	LSOY	1	_	_	_	_	4" Square Box
	LSRU*	1	1	_	_	_	2-1/4" Handy Box
2	LSRW	1	1	_	_	_	2-3/4" Switch Box
	LSRY	1	1	_	_	_	4" Square Box
	LSSU*	1	_	1	_	_	2-1/4" Handy Box
3	LSSW	1	_	1	_	_	2-3/4" Switch Box
3	LSSX	1	_	1	_	_	4" Octagon Box
	LSSY*	1	_	1	_	_	4" Square Box
4	LSOY-B	2	_	_	_	_	4" Square Box
5	LSSY-L	1	-	1	-	1	4" Square Box
6	LSSY-RL	1	1	1	_	1	4" Square Box
7	LSCY	2	-	2	_	_	4" Square Box
8	LSKA	2	1 (250V)	_	_	_	4-11/16" Square Box
9	LSTY	2	_	_	1	_	4" Square Box

*UL Listed (File No. E308725)



FRCK SERIES FUSE REPLACEMENT & CUSTOM KITS



Description

Fuse Replacement and Custom Kits help reduce downtime by providing mobile storage and organization for replacement fuses. The FRCK Series provides a custom solution that can be filled with multiple fuse series that are more common or specific to your needs or application.

Features/Benefits

- Custom sized compartments fit various fuse series
- Large kit features a convenient handle for carrying
- Kits are sold empty for complete customization
- Each kit comes with a blank label on the inside cover so users can write in part numbers or use bar code labels to help with refills.

Web Resources

Additional information: littelfuse.com/kits

Ordering Information

KIT SIZE	DIMENSIONS L X W X H (INCHES)	DESCRIPTION	CATALOG NUMBER
Large	16.00 x 12.00 x 10.00	Mobile organizer with 2 small and 3 medium drawers; Unique FRACK Label for Oil & Gas	FRCK-OG
Large	16.00 x 12.00 x 10.00	Mobile organizer with 2 small and 3 medium drawers	FRCK-LG
Medium	14.00 x 9.13 x 2.00	14" organizer with adjustable dividers	FRCK-MD
Small	8.25 x 4.25 x 1.00	8" organizer with up to 6 compartments	FRCK-SM







FRCK-OG & FRCK-LG FRCK-MD FRCK-SM

10

Miscellaneous

FUSE DISPLAYS AND CABINETS

Electronic Fuse Display



Description

This wall-mountable or free-standing modular rack system prominently displays Littelfuse glass and automotive fuses. Additional sections can be quickly snapped on for a larger product selection. Each rack features a cross reference guide to help customers locate the proper replacement fuse.

Features/Benefits

- Holds 720 (144 5-packs) of the most popular glass, ceramic, and automotive fuses
- Designed to save space—measures 14" H x 9"W x 4"D Suitable for wall or counter mounting
- Includes cross reference, product identification guide, and back-up card for easy reordering
- Expandable with modular section that can hold 240 fuses (48 5-packs) per section

Fully stocked rack includes the following parts

3AG (GLASS) FAST ACTING FUSES		3AG (G SLO-BLO	GLASS) 1 [®] FUSES
QUANTITY	CATALOG NUMBER	QUANTITY	CATALOG NUMBER
25	312 ½A	25	313 ½A
50	312 1A	25	313 ¾4A
25	312 1 ½A	25	313 1A
75	312 2A	25	313 1 ½A
25	312 2 ½A	50	313 2A
75	312 3A	25	313 2 ½A
25	312 4A	25	313 3A
25	312 5A	25	313 4A
25	312 10A	25	313 5A

3AB (CERAMIC) NORMAL-BLO FUSES		3AB (CE SLO-BLO	
QUANTITY	CATALOG NUMBER	QUANTITY	CATALOG NUMBER
25	314 15A	25	326 8A
25	314 20A	20	326 10A
25	314 30A	_	_

Ordering Information

TYPE	CATALOG NUMBER	ORDERING NUMBER
Fully Stocked Display	094324PG	00940324ZXPG
Empty Display Rack	FDR001PG	0FDR0001ZXPG
Additional Sections	MRS001PG	0MRS0001ZXPG

Spare Fuse Cabinet



Description

- Steel cabinet with piano hinges that can be locked to prevent unauthorized access. Weather stripped to reduce the accumulation of dust, dirt and moisture
- Convenient inventory card located inside door.
 Measures 30" H × 24" W × 12" D. Keyhole mounting holes 16" on center for easy installation

Ordering Information

TYPE	CATALOG NUMBER	ORDERING NUMBER
Spare Fuse Cabinet	LSFC	LSFC
Spare Keys	LKEY001	LKEY0001Z

Web Resources

Additional information: littelfuse.com/lsfc