

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Marker for end clamp, Sheet, white, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snap in, lettering field size: 30 x 8 mm, Number of individual labels: 5

Figure shows marker (white) for end bracket E/NS 35 N

#### Your advantages

- The UCT-TMC (30X8) ... UniCard marking card provides markers for the E/NS 35 N ... end bracket
- The sheets provide additional space for project information and function text that can be helpful during further assembly
- The clip geometry enables the easy mounting and removal of the markers. For removal, the marker can be levered out with a screwdriver and the recess on the marker or simply unclipped, for example.
- The markers, which are supplied in uniform sheets, can be marked quickly, easily, and precisely using the card printers
- Marking service: Phoenix Contact can custom-mark all UniCard markers according to your specifications



## **Key Commercial Data**

Packing unit	1 pc
Minimum order quantity	10 pc
GTIN	4 063151 475499
GTIN	4063151475499
Weight per Piece (excluding packing)	11.420 g
Custom tariff number	39269097
Country of origin	Poland

### Technical data

#### **Dimensions**

Length (b)	30 mm
Width (a)	8 mm



## Technical data

### Ambient conditions

Ambient temperature (operation)	-40 °C 120 °C

### General

Color	white
Components	free from silicone and halogen
Material	PC
Flammability rating according to UL 94	V2
Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
Number of individual labels	5
Number of individual labels per row	1
Mounting type	snap in
Fire protection for rail vehicles (DIN EN 45545-2) R23	HL 1 - HL 3
Fire protection for rail vehicles (DIN EN 45545-2) R24	HL 1 - HL 3
Testing substances harmful to the wetting properties of lacquers (LABS conformity)	VW PV 3.10.7:2005-02
Result	Test passed
Result	Test passed
UV resistance	Following ISO 4892-2:2013-03
Result	Test passed
Test duration	96 h
Temperature storage	IEC 60068-2-2:2007-07
Result	Test passed
Duration	96 h
Temperature for testing	120 °C
Test for wipe resistance of inscriptions	DIN EN 61010-1 (VDE 0411-01):2020-03
	DIN EN 62208 (VDE 0660-511):2012-06 (in parts)
Testing in a condensation changing climate in the presence of sulfur dioxide	DIN 50018:2013-05
Result	Test passed
Climate level	AHT 1,0 S
Cycles	2
Salt spray test	DIN EN 60068-2-11:2000-02
Result	Test passed
Test duration	96 h



## Classifications

eCl@ss

eCl@ss 11.0 27281101

## Accessories

Accessories

End block

End clamp - E/NS 35 N - 0800886



End clamp, width: 9.5 mm, color: gray

End clamp - E/NS 35 N BK - 0804271



End clamp, material: PA, color: black

End clamp - E/NS 35 N BU - 0804376



End clamp, material: PA, color: blue

#### Ink ribbon

Ink ribbon - THERMOMARK-RIBBON 110-TC - 0801371



Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., width: 110 mm, color: black



### Accessories

Ink ribbon cartridge - TMP-RIBBON 110 BK 100 - 0803374



Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups UCT..., US..., and UM..., width: 110 mm, color: black

Ink ribbon - THERMOMARK-RIBBON 110/50-TC - 0801384



Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., width: 110 mm, color: black

### Magazine

Magazine - TMP-UCT-MAG34 - 1281799



Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD..., for accommodating UCT-TMC (30x8)

Magazine - TOPMARK LASER-MAG UCT-A - 0803141



Magazine for the TOPMARK LASER, for accommodating UCT material automatically

Magazine - TOPMARK LASER-MAG UCT-M - 0803143



Magazine for the TOPMARK LASER, for accommodating UCT material manually



## Accessories

Printing system accessories

Ink cartridge - BLUEMARK CLED-FLUID-CARTR. - 5146662



Cartridge, for replacement, 20 ml UV color, black, including cleaning cartridge

Ink cartridge - BLUEMARK FLUID-CARTRIDGE - 5147421



Cartridge, for replacement, 28 ml UV color, black including cleaning cartridge

Ink cartridge - BM ID-CARTR. BK - 1044345



Replacement UV fluid, 23 ml, color: black

Ink cartridge - BM ID-CARTR. CY - 1044346



Replacement UV fluid, 23 ml, color: cyan

Ink cartridge - BM ID-CARTR. MA - 1044347



Replacement UV fluid, 23 ml, color: magenta



## Accessories

Ink cartridge - BM ID-CARTR. YE - 1044348



Replacement UV fluid, 23 ml, color: yellow

Phoenix Contact 2022 © - all rights reserved http://www.phoenixcontact.com